

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Cancel claim 33.

In claim 52, last line, replace "20V or more, 200V or less" with
- - a value within the range of about 20-200V - - .

Authorization for this examiner's amendment was given in a telephone interview with Mr. Ramyar Farid on 3/2/2011.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Fourson whose telephone number is (571) 272-1860. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith, can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should

Art Unit: 2823

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/George Fourson/
Primary Examiner, Art Unit 2823

GFourson
March 4, 2011